

RashCure™

Dexpanthenol USP 5% Ointment

DESCRIPTION

RashCure™ is a preparation of Dexpanthenol (Provitamin B5). Dexpanthenol is rapidly converted in skin cells to pantothenic acid. Pantothenic acid plays a part in the formation and regeneration of the skin.

INDICATIONS

This ointment is used-

- For the prevention and treatment of diaper rash
- For prevention and treatment of cracked or sore nipples in nursing women.
- For prevention and treatment of chafed, cracked or split skin.
- For treatment of light skin wounds and dry skin.

DOSAGE AND ADMINISTRATION

- Diaper rash care - Apply a thin layer of Dexpanthenol ointment, after cleaning baby's bottom areas thoroughly with water.
- Nipples - Apply a thin layer on the nipples after each nursing session. Wash the nipples thoroughly before the next nursing session.
- Dry/cracked skin or light wounds and chafed skin - Apply to the dry areas and/or to the wound up to 3 times a day.

CONTRAINDICATION

None

SIDE EFFECTS

Usually rare. As with any medicine, use of Dexpanthenol ointment may cause side effects in some users like unusual skin reactions. Discontinue use and refer to a doctor immediately in the event of Allergic reaction and/or allergic skin reaction such as: atopic dermatitis, allergic dermatitis, pruritus, redness, rash, eczema, urticaria, local irritation.
If a side effect occurs, if one of the side effects worsens, or if you suffer from a side effect not mentioned in this leaflet, consult with the doctor.

PRECAUTION AND WARNING

Avoid contact of the preparation with the eyes. Do not use the medicine if you are sensitive (allergic) to Dexpanthenol or to any of the other ingredients contained in the medicine.

USE IN PREGNANCY AND LACTATION

Before use Dexpanthenol Ointment during pregnancy and breastfeeding consult the doctor.

PHARMACEUTICAL PRECAUTION

Keep away from light and wet place. Do not store above 25 °C temperature. Keep out of reach of children. **RashCure™** Ointment can be used for up to 3 months after first opening the tube. Do not use **RashCure™** after this period. It is recommended to record the date of opening on the package.

PACKAGING

RashCure™ Ointment:

Tube containing 50 gm of Ointment. Each gram ointment contains Dexpanthenol USP 50 mg.

SK-F

Manufactured by

ESKAYEF PHARMACEUTICALS LTD.

TONGLI GAZIPUR, BANGLADESH

TM. TRADEMARK

PM06505 V01

ব্যশকিওব™

ডেক্সপ্যানথেনল ইউ.এস.পি. ৫% অয়েন্টমেন্ট

বিবরণ:

ব্যশকিওব™ হচ্ছে ডেক্সপ্যানথেনল (প্রোভিটামিন বি৫) এর একটি প্রস্তুতি। ডেক্সপ্যানথেনল ত্বকের কোষে পৌঁছে খুব দ্রুত প্যান্টোথেনিক এসিডে পরিণত হয়। প্যান্টোথেনিক এসিড ত্বকের কোষ গঠনে এবং ক্ষতপূরণে অন্যতম ভূমিকা পালন করে।

নির্দেশনা:

ব্যশকিওব™ অয়েন্টমেন্ট নিম্নোক্ত ক্ষেত্রে ব্যবহারের জন্য নির্দেশিত-

- শিশুর ডায়াপার র্যাশ প্রতিরোধে
- স্তন্যদায়ী মায়ের স্তনের ফেটে যাওয়া অংশের পরিচর্যা
- শুষ্ক/ফেটে যাওয়া ত্বকের নিরাময়ে
- ত্বকের আঘাত জনিত ক্ষত ও শুষ্কতা প্রতিরোধে

মাত্রা ও প্রয়োগবিধি:

ব্যশকিওব™ অয়েন্টমেন্ট শুধুমাত্র ত্বকের বহিরাংশে ব্যবহারের জন্য-

- ডায়াপার র্যাশের যত্নে: আক্রান্ত স্থান পানি দিয়ে ভালভাবে পরিষ্কার করার পর ডেক্সপ্যানথেনল অয়েন্টমেন্ট লাগাতে হবে।
- স্তনের পরিচর্যা: প্রতিবার বুকের দুধ খাওয়ানোর পর স্তনে অয়েন্টমেন্ট লাগাতে হবে। পরবর্তীতে বুকের দুধ খাওয়ানোর পূর্বে ভালভাবে ধুয়ে ফেলতে হবে।
- শুষ্ক/ফাটা ত্বকের নিরাময় ও ত্বকের আঘাতজনিত ক্ষত ও শুষ্কতা প্রতিরোধে: ত্বকের নির্দিষ্ট স্থানগুলোতে দিনে ৩ বার পর্যন্ত লাগানো যাবে।

প্রতিনির্দেশনা:

কোন ধরনের প্রতিনির্দেশনা নেই।

পার্শ্বপ্রতিক্রিয়া

ব্যশকিওব™ অয়েন্টমেন্ট ব্যবহারে কোন কোন ক্ষেত্রে ত্বকে অনাকাঙ্ক্ষিত প্রতিক্রিয়া হতে পারে। ত্বকের অ্যালার্জি জনিত বা অন্য কোন পার্শ্ব প্রতিক্রিয়া ঘটলে ব্যবহার বন্ধ করে দ্রুত ডাক্তারের পরামর্শ নিতে হবে।

সতর্কতা ও সাবধানতা

ব্যশকিওব™ অয়েন্টমেন্ট চোখের সংস্পর্শ থেকে দূরে রাখতে হবে। ত্বক যদি ডেক্সপ্যানথেনলের প্রতি সংবেদনশীল হয় তাহলে ঔষধ ব্যবহার থেকে বিরত থাকতে হবে।

গর্ভকালীন সময়ে ব্যবহার

ডেক্সপ্যানথেনল অয়েন্টমেন্ট গর্ভকালীন সময়ে ব্যবহারের পূর্বে ডাক্তারের পরামর্শ গ্রহণ করতে হবে।

সংরক্ষণ

আলো ও অর্দ্রতা থেকে দূরে রাখুন। ২৫ °সে. তাপমাত্রার উপরে সংরক্ষণ করা যাবে না। শিশুদের নাগালের বাইরে রাখুন। **ব্যশকিওব™** অয়েন্টমেন্ট টিউব খোলার পর তিন মাস পর্যন্ত ব্যবহার করা যায়। এজন্য প্যাকেট কবে খোলা হচ্ছে তা লিখে রাখতে হবে।

সরবরাহ

ব্যশকিওব™ অয়েন্টমেন্ট:

প্রতি প্যাক এ আছে ৫০ গ্রাম অয়েন্টমেন্ট এর একটি টিউব। প্রতি গ্রাম অয়েন্টমেন্ট এ আছে ডেক্সপ্যানথেনল ইউ.এস.পি. ৫০ মি.গ্রা.।

SK-F

প্রস্তুতকারক

এসকেএফ ফার্মাসিউটিক্যালস্ লি:

টঙ্গী, গাজীপুর, বাংলাদেশ

TM. ট্রেডমার্ক